icable to photons

that a thyonves

## 3 (Sem-3 /CBCS) PHY HC 2

ioule-Kelvin 12021 mived a perfect gas is infinited to the false.

(Held in 2022)

### **PHYSICS**

(Honours)

Paper: PHY-HC-3026

# sag a lo (Thermal Physics-II) wolf (g) S died ean free path ?

Full Marks: 60

Answer the following questions 2xstructure is temporature a microscopic

The figures in the margin indicate full marks for the questions.

1. Answer the following questions: 1×7=7

intensive variables with examples.

- (a) What is an isobaric process?
- (b) What is the entropy of a perfect crystalline solid at absolute zero temperature?

a choose streetheath the

- (c) Whether Maxwell-Boltzmann velocity distribution is applicable to photons.
- Joule-Kelvin coefficient of a perfect gas is infinite. (State True or False)
- At what temperature, does molecular motion cease?
- Name the transport phenomenon present in a gas that involves momentum transfer.
- How does the diameter of a gas molecule affect mean free path?
- Answer the following questions:  $2 \times 4 = 8$ 
  - (a) Is temperature a microscopic macroscopic concept? Explain.
  - (b) Differentiate between extensive and intensive variables with examples.
  - Calculate the average thermal energy of a helium atom at 27°c. [ Given  $k_B = 1.38 \times 10^{-23} \, m^2 \, kg \, s^{-2} \, K^{-1}$  ]
  - (d) How do viscosity and temperature affect Brownian motion of gas molecules?

- 3. Answer any three questions: 5×3=15
  - (a) A reversible engine takes in heat from a reservoir of heat at 527°C and gives out heat to sink at 127°C. How many calories per second must it take from the reservoir to produce useful mechanical work at the rate of 750 watts ?
  - (b) Derive an expression for work done an adiabatic during process considering n moles of an ideal gas.
  - Explain an experimental method to verify velocity distribution of gas molecules.
  - The van der Waals constants of oxygen are a=1.382 L<sup>2</sup> bar/mol and b=0.03186 L/mol. Calculate its Boyle's temperature and temperature of inversion. 21/2+21/2=5
  - (e) Derive Clausius-Clapeyron equation. Name sport traces on the follows
- 4. Answer the following questions: 10×3=30
  - (a) Using Maxwell's thermodynamic relations, derive  $T_{ds}$  equations. 10

What is Gibbs free energy? Using Gibbs free energy G, show that

$$G = -T^2 \left[ \frac{\partial}{\partial T} \left( \frac{G}{T} \right) \right]_P$$

where the symbols have their usual meanings. 1+9=10

(b) Define coefficient of diffusion. Discuss the theory of diffusion in a gas and show that coefficient of diffusion is directly proportional to square root of temperature.

## experimental method to

Derive the van der Waals equation of state and calculate the value of 5+5=10 critical constants.

(c) What do you mean by thermodynamic scale of temperature? Show that the thermodynamic scale of temperature is identical with the perfect gas scale of temperature. 3+7=10

Write short notes on the following: (any two) : 20013915 2 100 5×2=10

- (i) Carnot cycle
  - (ii) Degrees of freedom
- (iii) Joule-Thomson cooling