3 (Sem-1/CBCS) MAT HC 1

2021 (Held in 2022)

MATHEMATICS

(Honours)

Paper: MAT-HC-1016

(Calculus)

Full Marks: 60

Time: Three hours

The figures in the margin indicate full marks for the questions.

- 1. Answer the following questions: 1×7=7
 - (a) Write down the nth derivative of $y = \log x$.
 - (b) The point P(c,f(c)) on the graph of f(x) is such that f''(c)=0. Does it necessarily imply that P is an inflection point on the graph?

- (c) Write down the value of $\lim_{x\to +\infty} x \sin \frac{1}{x}$.
- (d) Find the domain of the vector function $\vec{F}(t) = (1-t)\hat{i} + \sqrt{-t}\hat{j} + \frac{1}{t-2}\hat{k}$
- (e) Write one basic difference between the disk/washer and shell method for computing volume of revolution.
- What is the direction of velocity of a moving object on its trajectory.
- (g) The velocity of a particle moving in space is $\vec{V}(t) = e^t \hat{i} + t^2 \hat{j}$. Find the direction of motion at time t = 2.
- 2. Answer the following questions: 2×4=8
 - (a) Applying L.Hopital's rule, evaluate $\int_{x \to \sqrt[n]{4}}^{t} (1 \tan x) \cdot \sec 2x$
 - (b) Write down the parametric equation of a line that contains the point (3,1,4) and is parallel to the vector $\vec{v} = -\hat{i} + \hat{j} 2\hat{k}$.
 - (c) Find the area of the surface generated by revolving the portion of the curve $y = x^3$ between x = 0 and x = 1 about the x-axis.

- (d) Explain briefly why the acceleration of an object moving with constant speed is always orthogonal to the direction of motion.
- 3. Answer any three of the following 5×3=15 questions:

(a) If
$$y = \cos(m \sin^{-1} x)$$
, show that
$$(1-x^2)y_{n+2} - (2n+1)x y_{n+1} + (m^2 - n^2)y_n = 0.$$
Hence find $y_n(0)$.

- (b) Sketch the graph of a function f with all the following properties: 5
 - (i) the graph has y=1 and x=3 as asymptotes
 - (ii) f is increasing for x < 3 and 3 < x < 5 and decreasing elsewhere
 - (iii) the graph is concave up for x < 3 and concave down for 3 < x < 7

(iv)
$$f(0) = 4 = f(5)$$
 and $f(7) = 2$

- (c) Sketch the graph of $y = \frac{3x-5}{x-2}$ identifying the locations of intercepts, concavity and inflection points (if any) and asymptotes.
- (d) Obtain the reduction formula for $\int tan^n x \, dx$.

Hence evaluate $\int_{0}^{\pi/4} tan^{5} x dx \qquad 3+2=5$

- The position vector of a moving object at any time t is given by $\vec{R}(t) = t \hat{i} + e^{+} \hat{j}$. Find the tangential and normal components of the object's acceleration.
- 4. Answer any three of the following questions: 10×3=30
 - (a) A firm determines that x units of its product can be sold daily at rupees p per unit where x=1000-p. The cost of producing x units per day is

C(x) = 3000 + 20x. Then —

- (i) Find the revenue function R(x).
- (ii) Find the profit function p(x). 2

- (iii) Assuming that production capacity is atmost 500 units per day, determine how many units the company must produce and sell each day to maximize profit. 3
- (iv) Find the maximum profit. 2
- (v) What price per unit must be charged to obtain maximum profit?
- (b) When is an object said to move in central force field? Derive Kepler's 2nd law of motion, assuming that planetary motion occurs in central force field.

 2+8=10
 - (c) (i) Find the length of the arc of the astroid $x^{2/3} + y^{2/3} = 1$ lying in the positive quadrant.
 - (ii) Using cylindrical shell method, find the volume of the solid formed by revolving the region bounded by the parabola $y = 1 x^2$, the y-axis, and the positive x-axis, about y-axis.

(iii) Find the surface area generated when the polar curve

$$r=5, 0 \leq \theta \leq \frac{\pi}{3}$$

is revolved about x-axis.

3

- (d) (i) Find the volume generated by disk/washer method, when the region bounded by y = x, y = 2x and y = 1 is revolved about the x-axis
 - (ii) A particle moves along the polar path (r,θ) where

$$r(t) = 3 + 2\sin t, \theta(t) = t^3.$$

Find the velocity $\vec{v}(t)$ and acceleration $\vec{A}(t)$ in terms \hat{u}_r and \hat{u}_{θ} .

(e) (i) Evaluate
$$\lim_{x\to 0} (1 + \sin x)^{1/x}$$
. 3

- (ii) Examine the existence of vertical tangent and cusp of the graph of $y = (x-4)^{2/3}$.
- (iii) A projectile is fired from ground level at an angle of 30° with muzzle speed 110 ft/sec. Find the time of flight and the range.

(f) (i) Obtain the reduction formula for $\int \cos^n x \, dx$.

Hence evaluate $\int \cos^5 x \, dx$.

3+2=5

(ii) Find the unit tangent vector $\vec{T}(t)$ and principal unit normal vector $\vec{N}(t)$ at each point on the graph of vector function

 $\vec{R}(t) = (3 \sin t, 4t, 3 \cos t)$