Total number of printed pages-8w 19611

## 3 (Sem-3/CBCS) MAT HC3

may represents a pair of parailel straight lines 202

## (Held in 2022)

the axes are rectangular, find the ent of lamron MATHEMATICS

(Honours) +x enalg

Paper: MAT-HC-3036

C = b + Sun + wa Full Marks : 80 d + Sun

Time: Three hours

## The figures in the margin indicate full marks for the questions.

1. Answer the following questions: 1×10=10

equation f(x, y, z), then what is the What is the nature of the conic represented by Parall

$$4x^2 - 4xy + y^2 - 12x + 6y + 9 = 0$$
?

(vii) What is meant by diametral plane of a Define skew lines. Spropinos

(iii) Under what condition

$$ax^2 + 2hxy + by^2 + 2gx + 2fy + c = 0$$
  
may represents a pair of parallel straight lines?

- (iv) If the axes are rectangular, find the direction cosines of the normal to the plane x+2y-2z=9.
  - (v) Write down the conditions under which the general equation of second degree  $ax^2 + by^2 + cz^2 + 2ux + 2vy + 2wz + d = 0$  represents a sphere.

The Agures in the margin indicate

- (vi) If  $\frac{x}{l} = \frac{y}{m} = \frac{z}{n}$  is a generator of the cone represented by the homogeneous equation f(x, y, z), then what is the value of f(l, m, n)?
- (vii) What is meant by diametral plane of a conicoid?

(viii) Find the equation of the line  $\frac{x}{a} + \frac{y}{b} = 2$ ,

when the origin is transferred to the point (a, b).

- (ix) Find the point on the conic and  $\frac{8}{r} = 3 \sqrt{2}\cos\theta$  whose radius vector is 4.
- (x) What is the polar equation of a circle when the pole is at the centre?
- 2. Answer the following questions: 2×5=10
  - (a) Write down the equation to the cone whose vertex is the origin and which passes through the curve of intersection of the plane lx + my + nz = p and the

and this reduce of saxe resugned and surface  $ax^2 + by^2 + cz^2 = 1$ . yd + xa noise expression ones

(b) Transform the equation  $x^2 - y^2 = a^2$  by taking the perpendicular lines y - x = 0 and y + x = 0 as coordinate axes.

3 (Sem-3/CBCS) MAT HC3/G

axes. and a sold a sold

(c) If  $(at_1^2, 2at_1)$  and  $(at_2^2, 2at_2)$  are the extremities of any focal chord of the parabola  $y^2 = 4ax$ , then prove that  $t_1t_2 = -1$ .

Bad B

- hyperbola  $x^2 y^2 = a^2$ .
- (e) Find where the line  $\frac{x-1}{2} = \frac{y-2}{-3} = \frac{z+3}{4}$
- $01 = 3 \times 2$  meets the plane x + y + z = 3. WELLA
- (a) Write down the equation to the cone
  3. hold whose vertex is through the curve of intersection
  - (a) If by transformation from one set of rectangular axes to another with the same origin the expression ax + by changes to a'x' + b'y', prove that

$$a^2 + b^2 = a'^2 + b'^2.$$

$$0 = x - y$$
 send a worder and a grider

and y + x = 0 as coordinate axes.  $\omega$ 

3 (Sem-3/CBCS) MAT HC3/G 4 E OLEOH TAM (EDEDAG - 100)

$$ax^{2} + 2hxy + by^{2} + 2gx + 2fy + c = 0$$

represents a pair of parallel straight

Two lines, if 
$$\frac{a}{h} = \frac{h}{b} = \frac{g}{f}$$
 by A

The parallel to the coordinate planes, show

that locus of their point of intersection (c) Find the condition that line

$$\frac{1}{r} = A\cos\theta + B\sin\theta$$

may touch the conic  $\frac{l}{r} = 1 - e \cos \theta$ .

Find the point of intersection of the. (d) Find the equation to the plane which

cuts  $x^2 + 4y^2 - 5z^2 = 1$  in a conic whose centre is the point (2,3,4).

Show that the equation ..

(e) Show that the equation to the cone whose vertex is origin and base is

ed nas it bina alodaraq a zineserger 
$$f(x,y) = 0$$
 is  $f(\frac{kx}{z}, \frac{ky}{z}) = 0$ .

Find the coordinates of the vertex and

the focus, Far to the control of

327000 327000 24000 A variable plane is at a constant distance p from the origin and meets the axes, which are rectangular in A, B, C. Through A, B, C planes are drawn parallel to the coordinate planes, show that locus of their point of intersection is given by  $x^{-2} + y^{-2} + z^{-2} = p^{-2}$ .

- 4. Answer the following questions: 10×4=40
  - Find the point of intersection of the lines represented by the equation  $ax^2 + 2hxy + by^2 + 2gx + 2fy + c = 0$

centre is the point (2,3,4).

Show that the equation  $9x^2 - 24xy + 16y^2 - 18x - 101y + 19 = 0$  represents a parabola and it can be reduced to the standard form  $Y^2 = 3X$ . Find the coordinates of the vertex and the focus.



Prove that the sum of the reciprocals of two perpendicular focal chords of a conic is constant.




(f)

Show that the ortho-centre of the triangle formed by the

$$ax^{2} + 2hxy + by^{2} = 0$$
 and  $lx + my = 1$  is

given by 
$$\frac{x}{l} = \frac{y}{m} = \frac{a+b}{am^2 - 2hlm + bl^2}$$



(e) Find the condition that the plane lx + my + nz = p may touch the conicoid

$$ax^2 + by^2 + cz^2 = 1$$
. Verify that the plane

$$2x-2y+8z=9$$
 touches the ellipsoid  
 $x^2+2y^2+3z^2=9$ .

$$x^2 + 2y^2 + 3z^2 = 9$$


Show that the shortest distance between any two opposite edges of the tetrahedron formed by the planes

$$y + z = 0$$
,  $z + x = 0$ ,  $x + y = 0$ ,

x+y+z=a is  $\frac{2a}{\sqrt{6}}$  and that the three

lines of shortest distance intersect at the point x = y = z = -a.

3 (Sem-3/CBCS) MAT HC3/G 7



(g) Find the equation to the cylinder generated by the lines drawn through the points of the circle

x + y + z = 1,  $x^2 + y^2 + z^2 = 4$  which are

parallel to the line  $\frac{x}{2} = \frac{y}{-1} = \frac{z}{2}$ .

(h) A variable plane is parallel to the given

plane  $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 0$  and meets the axes

in A, B, C respectively. Prove that the circle ABC lies on the

the ellipsoid  $yz\left(\frac{b}{c} + \frac{c}{b}\right) + zx\left(\frac{c}{a} + \frac{a}{c}\right) + xy\left(\frac{a}{b} + \frac{b}{a}\right) = 0.$ 

Show that the shortest distance between any two opposite edges of the tetrahedron formed by the planes

$$y+z=0$$
,  $z+x=0$ ,  $x+y=0$ 

y+z=0, z+x=0, x+y=0,  $x+y+z=\alpha$  is  $\sqrt{6}$  and that the three

lines of shortest distance intersect at

the point 
$$x = y = z = -a$$
,