

Total number of printed pages-20

**3 (Sem-3/CBCS) MAT HG 1/2/RC**

**2023**

**MATHEMATICS**

(Honours Generic/Regular)

**Answer the Questions from any one Option.**

**OPTION-A**

Paper : MAT-HG-3016 /MAT-RC-3016

**(Differential Equation)**

**OPTION-B**

Paper : MAT-HG-3026

**(Linear Programming)**

Full Marks : 80

Time : Three hours

**The figures in the margin indicate  
full marks for the questions.**

Contd.

## OPTION-A

Paper : MAT-HG-3016 / MAT-RC-3016

### ( *Differential Equation* )

Answer **either** in English **or** in Assamese.

1. Answer the following questions :  $1 \times 10 = 10$

তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়া :

(a) Define order and degree of an ordinary differential equation.

সাধাৰণ অৱকল সমীকৰণৰ ক্ৰম আৰু ঘাতৰ সংজ্ঞা লিখা।

(b) What do you mean by an ordinary differential equation? Give *one* example.

সাধাৰণ অৱকল সমীকৰণ বুলিলে কি বুজা? এটা উদাহৰণ দিয়া।

(c) Define exact differential equation.

যথার্থ অৱকল সমীকৰণৰ সংজ্ঞা লিখা।

(d) Obtain the differential equation of family of parabolas given by  $y^2 = 4ax$ .

$y^2 = 4ax$  অধিবৃত্তৰ পৰিয়ালটোৰ অৱকল সমীকৰণটো গঠন কৰা।

(e) Write the condition of exactness of an ordinary differential equation.

এটা সাধাৰণ অৱকল সমীকৰণৰ যথার্থতাৰ চৰ্ত লিখা।

(f) Find the integrating factor of

$$\frac{dy}{dx} + \frac{y}{x} = \cos x.$$

$\frac{dy}{dx} + \frac{y}{x} = \cos x$ , ৰ অনুকলন গুণক নিৰ্ণয় কৰা।

(g) Define orthogonal trajectory of a family of curve.

এটা বক্ৰ পৰিয়ালৰ লাম্বিক প্ৰক্ষেপপথৰ সংজ্ঞা লিখা।

(h) Write the complementary function of

$$(D^2 + 4)y = x^2.$$

$(D^2 + 4)y = x^2$  অৱকল সমীকৰণটোৰ পৰিপূৰক ফলনটো লিখা।

(i) Write the general form of a linear differential equation of  $n^{\text{th}}$  order.

এটা  $n$  মাত্ৰাৰ ৰৈখিক অৱকল সমীকৰণৰ সাধাৰণ ৰূপটো লিখা।

(j) If  $y_1 = \sin 2x$  and  $y_2 = \cos 2x$ , then find the Wronskian of  $y_1(x)$  and  $y_2(x)$ .

যদি  $y_1 = \sin 2x$  আৰু  $y_2 = \cos 2x$ , তেন্তে  $y_1(x)$  আৰু  $y_2(x)$  ৰ Wronskian নিৰ্ণয় কৰা।

2. Answer the following questions:  $2 \times 5 = 10$

তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়া :

(a) Determine the particular integral of the differential equation

$$\frac{d^2y}{dx^2} + \frac{dy}{dx} + 1 = \sin 2x.$$

$$\frac{d^2y}{dx^2} + \frac{dy}{dx} + 1 = \sin 2x \text{ অৱকল সমীকৰণটোৰ}$$

বিশেষ অনুকলন নিৰ্ণয় কৰা।

(b) Derive the orthogonal trajectory of  $xy = a^2$ .

$xy = a^2$ , ৰ লাম্বিক প্ৰক্ষেপপথ নিৰ্ণয় কৰা।

(c) Find the integrating factor of the differential equation

$$(x^2y - 2xy^2)dx - (x^3 - 3x^2y)dy = 0$$

$$(x^2y - 2xy^2)dx - (x^3 - 3x^2y)dy = 0$$

অৱকল সমীকৰণটোৰ অনুকলন গুণক নিৰ্ণয় কৰা।

(d) Solve:  $\frac{dx}{y^2} = \frac{dy}{x^2} = \frac{dz}{x^2y^2z^2}$

সমাধান কৰা:  $\frac{dx}{y^2} = \frac{dy}{x^2} = \frac{dz}{x^2y^2z^2}$

(e) Solve:  $\frac{d^2y}{dx^2} + 4\frac{dy}{dx} + 13y = 0$

সমাধান কৰা:  $\frac{d^2y}{dx^2} + 4\frac{dy}{dx} + 13y = 0$

3. Answer the following: (**any four**)  $5 \times 4 = 20$

তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়া: (যিকোনো চাৰিটা)

(a) Solve:  $x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 2x^2$

সমাধান কৰা:  $x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 2x^2$

(b) Find the orthogonal trajectories of the series of hypocycloid  $x^{2/3} + y^{2/3} = a^{2/3}$ .

$x^{2/3} + y^{2/3} = a^{2/3}$ , পৰিয়ালটোৰ লাম্বিক প্ৰক্ষেপপথ নিৰ্ণয় কৰা।

(c) Solve the simultaneous linear differential equations  $\frac{dx}{dt} = -py$  and

$\frac{dy}{dt} = px$  and show that the point  $(x, y)$  lies on a circle.

$\frac{dx}{dt} = -py$  আৰু  $\frac{dy}{dt} = px$ ; অৱকল সমীকৰণটো

সমাধান কৰা আৰু দেখুওৱা যে  $(x, y)$  বিন্দুটো এটা বৃত্তত থাকিব।

(d) Solve by reducing to exact differential equation

$$xydx + (2x^2 + 3y^2 - 20)dy = 0$$

$xydx + (2x^2 + 3y^2 - 20)dy = 0$  সমীকৰণক যথার্থ অৱকল সমীকৰণলৈ সমানীত কৰি সমাধান কৰা।

(e) Solve the Bernoulli's equation :

$$x \frac{dy}{dx} + y = y^2 \log x$$

বার্নোলীৰ সমীকৰণটো সমাধান কৰা :

$$x \frac{dy}{dx} + y = y^2 \log x$$

(f) Solve  $x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 0$ , given

that  $y = x^2$  is one of the solution.

$$x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 0 \text{ অৱকল সমীকৰণটো}$$

সমাধান কৰা, য'ত সমীকৰণটোৰ এটা সমাধান  $y = x^2$ .

4. Answer the following : **(any four)**  $10 \times 4 = 40$

তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়া : (যিকোনো চাৰিটা)

(a) Solve by the method of variation of

$$\text{parameter. : } \frac{d^2y}{dx^2} - y = \frac{2}{1+e^x}$$

প্ৰাচল বিচৰণ পদ্ধতিৰে সমাধান কৰা :

$$\frac{d^2y}{dx^2} - y = \frac{2}{1+e^x}$$

(b) Solve :  $\frac{d^4 y}{dx^4} - y = x \sin x$

সমাধান করা :  $\frac{d^4 y}{dx^4} - y = x \sin x$

(c) Solve :  $\frac{dx}{dt} + \frac{dy}{dt} + 2x + y = 0$

$$\frac{dy}{dt} + 5x + 3y = 0$$

সমাধান করা :  $\frac{dx}{dt} + \frac{dy}{dt} + 2x + y = 0$

$$\frac{dy}{dt} + 5x + 3y = 0$$

(d) Solve the exact differential equation :

$$x^2 \frac{d^2 y}{dx^2} + 3x \frac{dy}{dx} + y = \frac{1}{(1-x)^2}$$

যথার্থ অরকল সমীকরণটো সমাধান করা :

$$x^2 \frac{d^2 y}{dx^2} + 3x \frac{dy}{dx} + y = \frac{1}{(1-x)^2}$$



(e) Solve by reducing to normal form

$$\frac{d^2y}{dx^2} - 4x \frac{dy}{dx} + (4x^2 - 1)y = -3e^{x^2} \sin 2x$$

নৰ্মাল ৰূপলৈ সমানীত কৰি সমাধান কৰা :

$$\frac{d^2y}{dx^2} - 4x \frac{dy}{dx} + (4x^2 - 1)y = -3e^{x^2} \sin 2x$$

(f) Show that the term  $\frac{1}{x(x^2 - y^2)}$  is an

integrating factor of the differential equation  $(x^2 + y^2) dx - 2xy dy = 0$  and hence solve it.

$$\text{দেখুওৱা যে } (x^2 + y^2) dx - 2xy dy = 0$$

সমীকৰণৰ এটা অনুকলন গুণক  $\frac{1}{x(x^2 - y^2)}$  আৰু

সমাধান কৰা।

(g) Solve the equation,  $4y = x^2 + p^2$ , where

$$p \equiv \frac{dy}{dx}$$

সমাধান কৰা :  $4y = x^2 + p^2$ , যত  $p \equiv \frac{dy}{dx}$

(h) Discuss the method of solving a Bernoulli's equation of the form

$$\frac{dy}{dx} + Py = Qy^n; \text{ where } P \text{ and } Q \text{ are}$$

constants as function of  $x$ .

এটা  $\frac{dy}{dx} + Py = Qy^n$  ৰূপৰ বাৰ্নৌলীৰ সমীকৰণ

সমাধান কৰাৰ পদ্ধতি আলোচনা কৰা, য'ত  $P$  আৰু  $Q$

হৈছে ধ্ৰুৱক বা  $x$  ৰ ফলন।

## OPTION-B

Paper : MAT-HG-3026

### **(Linear Programming)**

1. Answer the following questions : (Choose the correct answer)  $1 \times 10 = 10$

(a) A basic feasible solution whose variables are

(i) degenerate

(ii) non-degenerate

(iii) non-negative

(iv) None of the above

(b) The inequality constraints of an LPP can be converted into equation by introducing

(i) negative variables

(ii) non-degenerate B.F.

(iii) slack and surplus variables

(iv) None of the above

(c) A solution of an LPP, which optimize the objective function is called

- (i) basic solution
- (ii) basic feasible solution
- (iii) optimal solution
- (iv) None of the above

(d) Given a system of  $m$  simultaneous linear equations in  $n$  unknowns ( $m < n$ ) the number of basic variables will be

- (i)  $m$
- (ii)  $n$
- (iii)  $n - m$
- (iv)  $n + m$

(e) A simplex in  $n$ -dimension is a convex polyhedron having

- (i)  $n - 1$  vertices
- (ii)  $n$  vertices
- (iii)  $n + 1$  vertices
- (iv) None of the above

(f) At any iteration of the usual simplex method, if there is at least one basic variable in the basis at zero level and all  $z_j - c_j \geq 0$  the current solution is

- (i) infeasible
- (ii) unbounded
- (iii) non-degenerate
- (iv) degenerate

( $z_j, c_j$  having usual meaning)

(g) Let  $X = \{x_1, x_2\} \subset \mathbb{R}^2$ . Then the convex hull  $C(X)$  of  $X$  is

- (i)  $\{\lambda x_1 + (1 - \lambda) x_2 : \lambda \geq 1\}$
- (ii)  $\{\lambda x_1 + (1 - \lambda) x_2 : \lambda \leq 0\}$
- (iii)  $\{\lambda x_1 + (1 - \lambda) x_2 : 0 < \lambda < 1\}$
- (iv) None of the above

(h) For given linear programming problem, if  $z$  is an objective function

- (i)  $\text{Max } z = - \text{Min } z$
- (ii)  $\text{Max } z = \text{Min } (-z)$
- (iii)  $\text{Max } (-z) = \text{Max } z$
- (iv) None of above

- (i) The set  $\{(x_1, x_2) : x_1^2 + x_2^2 \leq 1\}$  is a
- (i) open set
  - (ii) closed set
  - (iii) neither open nor closed
  - (iv) open and closed both
- (j) In linear programming problem
- (i) objective function, constraints and variables are all linear
  - (ii) only objective function to be linear
  - (iii) only constraints are to be linear
  - (iv) only variables are to be linear

2. Answer the following : 2×5=10

- (a) A hyperplane is given by the equation  $3x_1 + 2x_2 + 4x_3 + 7x_4 = 8$ , find in which half space do the point  $(-6, 1, 7, 2)$  lie.
- (b) Prove that  $x_1 = 2$ ,  $x_2 = -1$  and  $x_3 = 0$  is a solution but not a basic solution to the system of equations

$$3x_1 - 2x_2 + x_3 = 8$$

$$9x_1 - 6x_2 + 4x_3 = 24$$

- (c) Write the dual of the following primal problem :

$$\text{Minimize } Z = 3x_1 + 5x_2$$

$$\text{subject to } 3x_1 + 5x_2 = 12$$

$$4x_1 + 2x_2 = 10$$

with  $x_1, x_2 \geq 0$

- (d) In a two-person Zero-sum game, the pay-off matrix is given by

		<i>B</i>		
		I	II	III
<i>A</i>	I	6	8	6
	II	4	12	2

Find its saddle points.

- (e) Show that the linear function

$Z = C X, X \in \mathbb{R}^n, C \in \mathbb{R}$  is a convex function.

3. Answer **any four** of the following :  $5 \times 4 = 20$

(a) Solve graphically the following LPP :

$$\text{Max. } Z = 5x_1 + 7x_2$$

$$\text{subject to } x_1 + x_2 \leq 4$$

$$3x_1 + 8x_2 \leq 24$$

$$10x_1 + 7x_2 \leq 35$$

$$x_1, x_2 \geq 0$$

(b) Find all basic feasible solutions of the system of equations

$$x_1 + 2x_2 + 3x_3 + 4x_4 = 7$$

$$2x_1 + x_2 + x_3 + 2x_4 = 3$$

(c) Prove that the set of all convex combinations of a finite number of points  $x_1, x_2, x_3, \dots, x_n$  is a convex set.

(d) Prove that the dual of a dual is a Primal problem itself.



- (e) Solve the following transportation problem using North-West corner method whose cost matrix is given below :

Source	$D_1$	$D_2$	$D_3$	$D_4$	Supply
$S_1$	7	10	14	8	30
$S_2$	7	11	12	6	40
$S_3$	5	8	15	9	30
Demand	20	20	25	35	

- (f) The pay-off matrix of a game is given below. Find the solution of the game to A and B.

		B				
		I	II	III	IV	V
A	I	-2	0	0	5	3
	II	3	2	1	2	2
	III	-4	-3	0	-2	6
	IV	5	3	-4	2	-6

4. Answer **any four** questions :

10×4=40

(a) Old hens can be bought for Rs. 2 each but young ones cost Rs. 5 each. The old hens lay 3 eggs per week and the young ones 5 eggs per week, each being worth 30 paise. A hen costs Re. 1 per week to feed. If I have only Rs. 80 to spend for hens, how many of each kind shall I buy to give a profit of more than Rs. 6 per week, assuming that I can not house more than 20 hens? Formulate the LPP and solve by graphical method.

(b) Prove that if either the primal or the dual problem of an LPP has a finite optimal solution, then the other problem also has a finite optimal solution. Furthermore, the optimal values of the objective function in both the problems are the same, i.e.

$$\text{Max } Z_x = \text{Max } Z_w$$

(c) Solve the following assignment problem :

Projects

	A	B	C	D
Engineer I	12	10	10	8
Engineer II	14	Not suitable	15	11
Engineer III	6	10	16	4
Engineer IV	8	10	9	7

(d) Use simplex method to solve the LPP

$$\text{Max } Z = 4x + 10y$$

subject to the constraints

$$2x + y \leq 50$$

$$2x + 5y \leq 100$$

$$2x + 3y \leq 90$$

$$x, y \geq 0$$

(e) Use the two-phase simplex method to solve  $\text{Max } Z = 5x_1 - 4x_2 + 3x_3$

subject to the constraints

$$2x_1 + x_2 - 6x_3 = 20$$

$$6x_1 + 5x_2 + 10x_3 \leq 76$$

$$8x_1 - 3x_2 + 6x_3 \leq 50$$

$$x_1, x_2, x_3 \geq 0$$

(f) Solve the game whose pay-off matrix is

$$\begin{bmatrix} -1 & -2 & 8 \\ 7 & 5 & -1 \\ 6 & 0 & 12 \end{bmatrix}$$

(g) If in an assignment problem, a constant is added or subtracted to every element of a row (or column) of the cost matrix  $[c_{ij}]$ , then prove that an assignment which minimizes the total cost for one matrix, also minimizes the total cost for the other matrix.

(h) (i) What is game theory? 2

(ii) Describe a two-person zero-sum game. Also mention *any two* basic assumptions in it. 4

(iii) Explain the following terms

Optimal strategy, Pay-off matrix.

2+2=4